ELSEVIER International Journal of Mass Spectrometry and Ion Processes 157/158 (1996) vii–viii

International Journal of Mass Spectrometry and Ion Processes

CONTENTS

Special Issue: Fourier Transform Ion Cyclotron Resonance Mass Spectrometry

Preface ix

History

A historical note on an unrecognized early stage of the development of fast scanning ion cyclotron resonance spectrometers: the resotron
J.-F. Gal (Nice, France) 1

Reviews

Stored waveform inverse Fourier transform (SWIFT) ion excitation in trapped-ion mass spectroscopy: theory and applications
S. Guan and A.G. Marshall (Tallahassee, FL, USA) 5

The non-neutral plasma: an introduction to physics with relevance to cyclotron resonance mass spectrometry
A.J. Peurrung, R.T. Kouzes and S.E. Barlow (Richland, WA, USA) 39

Theory

Collective motion of ions in an ion trap for Fourier transform ion cyclotron resonance mass spectrometry
Y. Naito and M. Inoue (Tokyo, Japan) 85

Instrumentation development

A 4.7 Tesla internal MALDI-FTICR instrument for high mass studies: performance and methods
M.L. Easterling, C.C. Pitsenberger, S.S. Kulkarni, P.K. Taylor and I.J. Amster (Athens, GA, USA) 97

A dual vacuum chamber Fourier transform mass spectrometer with rapidly interchangeable FAB, MALDI and ESI sources: electrospray results
E.E. Gard, M.K. Green, H. Warren, E.J.O. Camara, F. He, S.G. Penn and C.B. Lebrilla (Davis, CA, USA) 115

Ion motion in a Fourier transform ion cyclotron resonance wire ion guide cell
K.J. Gillig, B.K. Bluhm and D.H. Russell (College Station, TX, USA) 129

FTICR analysis of the magnetic trapping mode of the electron beam ion trap
P. Beiersdorfer, B. Beck (Livermore, CA, USA), St. Becker and L. Schweikhard (Mainz, Germany) 149

Techniques

Experimental methods to alleviate ion coupling effects in matrix-assisted laser desorption ionization Fourier transform ion cyclotron resonance mass spectrometry
J.S. Anderson and D.A. Laude (Austin, TX, USA) 163

Ultrahigh-resolution Fourier transform mass spectrometry of biomolecules above m/z 5000
Y. Li, R.L. Hunter and R.T. McIver Jr (Irvine, CA, USA) 175

The r.f.-only-mode event for ion-chemistry studies in Fourier transform mass spectrometry: the reactions of propene and cyclopropane radical cations with neutral ethene
D.L. Vollmer (Lincoln, NE, USA), D.L. Rempel and M.L. Gross (St. Louis, MO, USA) 189

FT-ICR spectrometry with simultaneous trapping of positive and negative ions
R. Malek and K.P. Wanczek (Bremen, Germany) 199

Analysis of harmonics for an elongated FTMS cell with multiple electrode detection
E.N. Nikolaev, V.S. Rakov and J.H. Futrell (Newark, DE, USA) 215

Combined methods

The geometrical factor of infinitely long cylindrical ICR cells for collision energy-resolved mass spectrometry: appearance energies of EI_2^+ (E = P, As, Sb, and Bi) from collision-induced dissociation of $EI_3^{+\cdot}$ and $[EI_2 \cdot ligand]^+$ complexes
H.L. Sievers (Bielefeld, Germany), H.-F. Grützmacher and P. Caravatti (Fällanden, Switzerland) 233

Ion structure, energetics, and reaction chemistry

Experimental and theoretical studies of $FeC_7H_7^+$ isomers: Fe^+–C_7H_7 bond energies and isomeric differentiation
Y.C. Xu, E. Garcia, B.S. Freiser (West Lafayette, IN, USA) and C.W. Bauschlicher Jr (CA, USA) 249

Gas phase actinide ion chemistry: activation of alkanes and alkenes by thorium cations
J. Marçalo, J.P. Leal, A. Pires de Matos (Sacavém Codex, Portugal) 265

Deprotonation of α-distonic ions. Proton affinities of the α-radicals
H.E. Audier, J. Fossey, P. Mourgues, D. Leblanc (Palaiseau, France) and S. Hammerum (DK, Copenhagen, Denmark) ... 275

Bond dissociation energy of the radical cation dimers of diethyl sulfide, di-*n*-propyl sulfide and di-*n*-butyl sulfide
S.P. de Visser, L.J. de Koning and N.M.M. Nibbering (Amsterdam, The Netherlands) 283

The radical cation of trimethylphosphine oxide
R. Li, H.I. Kenttämaa (West Lafayette, IN, USA), A. Schweighofer, H. Keck and W. Kuchen (Düsseldorf, Germany) 293

On the dissociation and conformation of gas-phase methonium ions
D.S. Gross and E.R. Williams (Berkeley, CA, USA) 305

Clusters

Chemisorption of hydrogen on charged vanadium clusters
G. Dietrich (Mainz, Germany), K. Dasgupta (Bombay, India), S. Kuznetsov (Moscow, Russia), K. Lützenkirchen (Mainz, Germany), L. Schweikhard and J. Ziegler (Mainz, Germany) 319

Mass spectrometry and density functional studies of neutral and anionic tin clusters
P. Jackson, I.G. Dance, K.J. Fisher, G.D. Willett (Sydney, NSW, Australia) and G.E. Gadd (Menai, NSW, Australia) 329

Photodissociation

Time-resolved photodissociation of *p*-bromotoluene ion as a probe of ion internal energy
S. Koo Shin, S.-J. Han and B. Kim (Santa Barbara, CA, USA) 345

193 nm photodissociation of larger multiply-charged biomolecules
Z. Guan, N.L. Kelleher, P.B. O'Connor, D.J. Aaserud, D.P. Little and F.W. McLafferty (Ithaca, NY, USA) 357

Infrared multiphoton dissociation of electrosprayed crown ether complexes
D.M. Peiris, Y. Yang, R. Ramanathan, K.R. Williams, C.H. Watson and J.R. Eyler (Gainesville, FL, USA) 365

Analytical applications

The characterization of novel dispersants, fluorinated surfactants, and modified natural oils by laser desorption Fourier transform ion cyclotron resonance mass spectrometry (LD-FTICR-MS)
W.J. Simonsick Jr and C.W. Ross III (Philadelphia, PA, USA) 379

Rapid microscale analyses with an external ion source Fourier transform ion cyclotron resonance mass spectrometer
R.M.A. Heeren and J.J. Boon (Amsterdam, The Netherlands) 391

Author index 405

Subject index 407